

CLAIM AMENDMENTS

1. (Currently Amended) A method comprising:

receiving on a first client a message from a server addressed to said client; and

controlling [[the storage of information on]] management of data storage by said

client based on information included in said message.

2. (Currently Amended) The method of claim 1 further comprising:

defining a messaging service type and message identification to dynamically control storage for groups of clients or individual clients;

assigning an individual identifier to the clients comprising a set of clients including said first client;

assigning a group identifier to a subset of the clients within the set of clients; and enabling the first client in said set to determine whether a message is sent to the first client or to the subset.

- 3. (Original) The method of claim 2 further including sending a single message to a subset of said clients.
- 4. (Original) The method of claim 2 including sending television content to a plurality of clients.
- 5. (Original) The method of claim 2 wherein assigning an individual identifier includes assigning a code portion that identifies a particular client as belonging to a subset of clients within the set of clients.
- 6. (Original) The method of claim 5 including comparing a group identifier, received by a client with a message, to the client's individual identifier to determine whether the particular client is within the addressed subset.



7. (Original) The method of claim 2 including addressing the same message to a subset of clients.

- 8. (Original) The method of claim 2 including sending a message to a client in a unidirectional messaging system.
- 9. (Original) The method of claim 1 including receiving a message including an identifier which specifies a task to perform on a storage device.
- 10. (Original) The method of claim 9 including receiving a message including an identifier indicating a change to a partition on said storage device.
- 11. (Currently Amended) An article comprising a medium storing instructions that enable a processor-based system to:

receive on a first client a message from a server addressed to said client; and control [[the storage of information on]] management of data storage by said client based on information included in said message.

12. (Currently Amended) The article of claim 11 further comprising a medium storing instructions that enable a processor-based system to:

define a messaging service type and message identification to dynamically control storage for groups of clients or individual clients;

assign an individual identifier to a client comprising a set of clients;
assign a group identifier to a subset of the client within the set of clients; and
enable a first client in said set to determine whether a message is sent to the first
client or to the subset.





- 13. (Original) The article of claim 12 further storing instructions that enable the processor-based system to send a single message to a subset of said clients.
- 14. (Original) The article of claim 12 further storing instructions that enable the processor-based system to send television content to a plurality of clients.
- 15. (Original) The article of claim 12 further storing instructions that enable the processor-based system to assign a code portion that identifies a particular client as belonging to a subset of clients within the set of clients.
- 16. (Original) The article of claim 15 further storing instructions that enable the processor-based system to compare a group identifier, received by a client with a message, to the client's individual identifier to determine whether the client is within the address subset.
- 17. (Original) The article of claim 12 further storing instructions that enable the processor-based system to address the same message to a subset of clients.
- 18. (Original) The article of claim 12 further storing instructions that enable the processor-based system to send a message to a client in a unidirectional messaging system.
- 19. (Original) The article of claim 11 further storing instructions that enable the processor-based system to decode a command within said message to modify the storage of information on a storage device.
- 20. (Original) The article of claim 19 further storing instructions that enable the processor-based system to modify a partition on said storage device in response to a command included within said message.



7/

21. (Currently Amended) A system comprising:

a processor-based device; and

a storage storing instructions that enable said processor-based device to, receive a message from a server addressed to said processor-based device and control [[the storage of information on]] management of data storage by said client based on information included in said message.

- 22. (Original) The system of claim 21 wherein said storage stores instructions that enable the device to compare a group identifier in a message to determine whether the device is within a group addressed by said server.
- 23. (Original) The system of claim 22 including a comparator that compares a group identifier, received by the device with a message, to the device's individual identifier to determine whether the particular device is within the addressed subset.
- 24. (Currently Amended) A method comprising:

 defining a messaging service type and message identification to dynamically control storage for groups of clients or individual clients;

transmitting a message to a client; and controlling the storage of information on said client based on information included in said message.

- 25. (Original) The method of claim 24 including transmitting a message including an identifier which specifies a task to perform on a storage device.
- 26. (Original) The method of claim 24 including transmitting a message to an agent on said client to cause the client to alter the way information is stored on said client.



4.

27. (Currently Amended) An article comprising a medium storing instructions that enable a processor-based system to:

define a messaging service type and message identification to dynamically control storage for groups of clients or individual clients;

transmit a message to a client; and

control the storage of information on said client based on information included in said message.

- 28. (Original) The article of claim 27 further storing instructions that enable a processor-based system to transmit a message including an identifier which specifies a task to perform on a storage device.
- 29. (Original) The article of claim 27 further storing instructions that enable a processor-based system to transmit a message to an agent on said client to cause the client to alter the way information is stored on said client.
 - 30. (Currently Amended) A system comprising:a processor-based device; and

a storage storing instructions that enable said processor-based device to <u>define a</u> messaging service type and message identification to dynamically control storage for groups of <u>clients or individual clients</u>, transmit a message to a client and control the storage of information on said client based on the information included in said message.